Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6938263".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:19
L2	5227	719/310,311-320,328-332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:19
L3	1885	(client$1 near5 server$1) and ((send$3 obtain$3 get$5 transfer$3) near5 (stub$1 proxy) near5 (client$1 server$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:21
L4	777	L3 and (java (virtual adj2 machine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:20
L5	753	L4 and request$1 and (response$1 result$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:20
L6	512	L5 and object$1 and parameter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:20
L7	33	2 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:21
L8	15	(client$1 near5 server$1) and ((send$3 obtain$3 get$5 transfer$3) near5 (stub$1 proxy) near5 run$1time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:21
L9	40	(client$1 near5 server$1) and ((send$3 obtain$3 get$5 transfer$3) near3 (stub$1 proxy) near5 (run$1time dynamic$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/20 09:22

S1	3919	(client$1 near5 server$1) and ((send$3 obtain$3 get$5 transfer$3) with (stub$1 proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:15
S2	2898	(client$1 near5 server$1) and ((send$3 obtain$3 get$5 transfer$3) near5 (stub$1 proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:04
S3	1876	(client$1 near5 server$1) and ((send$3 obtain$3 get$5 transfer$3) near5 (stub$1 proxy) near5 (client$1 server$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:04
S4	773	S3 and (java (virtual adj2 machine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:15
S5	749	S4 and request$1 and (response$1 result$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:15
S6	508	S5 and object$1 and parameter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:16
S7	34	S6 and "719"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:10
S8	257	S6 and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:16
S9	1	S8 and @ad<"19960423"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:14
S10	2267	(client$1 near5 server$1) and ((send$3 obtain$3 get$5 transfer$3) near3 (stub$1 proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:15

S11	959	S10 and (java (virtual adj2 machine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:15
S12	927	S11 and request$1 and (response$1 result$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:15
S13	662	S12 and object$1 and parameter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:16
S14	344	S13 and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 14:17